| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 1 | 4548 | (438/118,622,201,211,257).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:59 |
| 2 | 1 | connect$4 near4 (control word wordline) with connect$4 near4 (source drain) with simultaneous$2 and ((438/118,622,201,211,257).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:49 |
| 3 | 20 | connect$4 near4 (control word wordline) with connect$4 near4 (source drain) with simultaneous$2 and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:52 |
| 4 | 1 | ((438/118,622,201,211,257).CCLS.) and (perpendicular second near direction) with wir$3 with word with (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:01 |
| 5 | 20 | ((438/118,622,201,211,257).CCLS.) and  wir$3 with word with (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:01 |
| 6 | 3 | back$3 near wir$3 with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:09 |
| 7 | 355 | back$3  with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:09 |
| 8 | 48 | back$3  with common near (source drain) near (wir$3 line) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:10 |
| 9 | 2 | backing  with common near (source drain) near (wir$3 line) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:10 |
| - | 1 | ("6114767").PN. | USPAT | 2000/12/29 11:47 |
| - | 4 | (("5717635") or ("5834807") or ("5838615") or ("5208782")).PN. | USPAT | 2000/12/28 11:26 |
| - | 4 | (("5717635") or ("5834807") or ("5838615") or ("5208782")).PN. | USPAT | 2000/12/28 11:24 |
| - | 1322 | (438/118,622,201,211,257).CCLS. | USPAT | 2003/10/20 17:23 |
| - | 352 | (EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.) | USPAT | 2001/05/07 15:15 |
| - | 312 | (source and Drain) and ((EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.)) | USPAT | 2000/12/28 11:32 |
| - | 203 | contact$1 and ((float$3 and control) and ((source and Drain) and ((EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.)))) | USPAT | 2003/02/10 10:51 |
| - | 202 | (second adj interlayer adj insulating adj (layer film)) SAME (drain bit) | USPAT | 2000/12/28 15:45 |
| - | 17 | ((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM) | USPAT | 2002/05/24 17:25 |

C:\APPS\EAST\Workspaces\09606159.wsp

| - | | 185 | ((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) not (EPROM EEPROM) | USPAT | 2000/12/29 12:04 |
|---|---|---|---|---|---|
| - | | 127 | ((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and bit adj line | USPAT | 2000/12/29 09:13 |
| - | | 136 | ((second adj interlayer adj insulating adj (layer film)) WITH (drain bit)) | USPAT | 2000/12/29 09:20 |
| - | | 48 | (((second adj interlayer adj insulating adj (layer film)) WITH (drain bit)) ) not capacitor | USPAT | 2000/12/29 09:31 |
| - | | 1 | ("5834807").PN. | USPAT | 2000/12/29 09:53 |
| - | | 1 | ("5838615").PN. | USPAT | 2000/12/29 10:01 |
| - | | 71 | Aluminum adj contact WITH (source drain) | USPAT | 2000/12/29 10:44 |
| - | | 1 | ("5838615").PN. | USPAT | 2000/12/29 10:44 |
| - | | 1 | ("6114767").PN. | USPAT | 2000/12/29 11:23 |
| - | | 1 | backing adj wiring adj layer | USPAT | 2000/12/29 11:23 |
| - | | 1 | ("6114767").PN. | USPAT | 2000/12/29 11:47 |
| - | | 17 | ((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM) | USPAT | 2000/12/29 11:50 |
| - | | 17 | ((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM) | USPAT | 2000/12/29 12:05 |
| - | | 27 | ((second adj interlayer adj insulating adj (layer film))) and (EPROM EEPROM) | USPAT | 2000/12/29 12:06 |
| - | | 14296 | "1112" | USPAT | 2000/12/29 12:07 |
| - | | 10 | (((second adj interlayer adj insulating adj (layer film))) and (EPROM EEPROM)) not (((second adj interlayer adj insulating adj (layer film)) SAME (drain bit)) and (EPROM EEPROM)) | USPAT | 2000/12/29 12:07 |
| - | | 278 | (float$3 and control) and ((source and Drain) and ((EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.))) | USPAT | 2000/12/29 12:08 |
| - | | 2 | (("5550073") or ("5149666")).PN. | USPAT | 2000/12/29 14:28 |
| - | | 113 | source WITH perpendicular WITH bit | USPAT | 2000/12/29 14:29 |
| - | | 61 | (EPROM EEPROM) and (source WITH perpendicular WITH bit) | USPAT | 2002/05/28 15:12 |
| - | | 1488 | (438/118,622,201,211,257).CCLS. | USPAT | 2001/05/07 15:12 |
| - | | 160 | (("438/118,622,201,211,257").CCLS.) and @pd>=20001228 | USPAT | 2001/05/07 15:13 |
| - | | 39 | (EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.) and @pd>=20001228) | USPAT | 2001/05/07 15:20 |
| - | | 37 | source and drain and ((EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.) and @pd>=20001228)) | USPAT | 2001/05/07 15:20 |
| - | | 16 | bit and word and (source and drain and ((EEPROM EPROM) and ((("438/118,622,201,211,257").CCLS.) and @pd>=20001228))) | USPAT | 2001/05/07 15:26 |
| - | | 167 | bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228)))) | USPAT | 2001/05/07 15:28 |
| - | | 174 | bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228)))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2001/05/07 15:29 |
| - | | 171 | bit and word and (source and drain and ((EEPROM EPROM) and ((@pd>=20001228)))) | USPAT; US-PGPUB | 2001/05/07 15:30 |
| - | | 226 | bit and word and (source and drain and ((EEPROM EPROM))) | EPO; JPO; DERWENT; IBM_TDB | 2001/05/07 15:30 |
| - | | 1 | ("5741719").PN. | USPAT | 2002/05/24 15:51 |
| - | | 1 | jp-09082926-$.did. | USPAT; JPO | 2002/05/24 15:52 |
| - | | 1 | ("6114767").PN. | USPAT | 2002/05/24 17:15 |
| - | | 2 | 6114767.URPN. | USPAT | 2002/05/24 17:21 |
| - | | 4 | ("5208782" \| "5717635" \| "5834807" \| "5838615").PN. | USPAT | 2002/05/24 17:21 |

C:\APPS\EAST\Workspaces\09606159.wsp

| | | | | |
|---|---|---|---|---|
| - | 3233 | (438/118,622,201,211,257).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/24 17:25 |
| - | 16 | ((second another) near ((interlayer inter adj layer) adj (dielectric insulat$4) ild)) SAME (drain bit) and ((438/118,622,201,211,257).CCLS.) | USPAT | 2002/05/24 17:32 |
| - | 95 | (EPROM EEPROM) and (source WITH perpendicular WITH bit) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/05/28 16:07 |
| - | 0 | jp-1996418271-$.did | JPO | 2002/05/28 16:08 |
| - | 0 | jp-08204159-$.did | JPO | 2002/05/28 16:08 |
| - | 1 | jp-08204159-$.did. | JPO | 2002/05/28 16:08 |
| - | 2 | ("6114767").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/02/10 08:44 |
| - | 2 | ("20020064916").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/02/10 09:49 |
| - | 2 | jp-11284184-$.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/02/10 09:50 |
| - | 2 | 6114767.URPN. | USPAT | 2003/02/10 10:23 |
| - | 4 | ("5208782" \| "5717635" \| "5834807" \| "5838615").PN. | USPAT | 2003/02/10 10:23 |
| - | 3 | 5838615.URPN. | USPAT | 2003/02/10 10:24 |
| - | 4 | ("5338956" \| "5389808" \| "5392237" \| "5656840").PN. | USPAT | 2003/02/10 10:24 |
| - | 89 | (hole via contact) with (source Drain bit bitline) with (etch etching define defining etchant etched) and (EEPROM EPROM) and (("438/118,622,201,211,257").CCLS.) | USPAT | 2003/02/10 10:54 |
| - | 2 | ("20020064916").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:24 |
| - | 4605 | aluminum near4 refractory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:29 |
| - | 9 | bit with aluminum near4 refractory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:31 |
| - | 0 | bit with (aluminum al) near4 refractory and preferabl$3 near2 (al aluminum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:32 |
| - | 7 | contact with (aluminum al) near4 refractory and preferabl$3 near2 (al aluminum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:33 |

| | | | | |
|---|---|---|---|---|
| - | 1 | (aluminum al) near4 refractory same preferabl$3 near2 (al aluminum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:34 |
| - | 301 | (aluminum al) near4 (Ti titanium w tungsten refractory) same preferabl$3 near2 (al aluminum) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:19 |
| - | 3 | source with drain with interchangable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:20 |
| - | 13213 | source with drain with defin$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:21 |
| - | 16878 | source with drain with switch$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:22 |
| - | 3422 | source with drain with switch$5 and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:25 |
| - | 4540 | (438/118,622,201,211,257).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:48 |
| - | 31 | (source with drain with switch$5 and (438/$6 257/$6)) and ((438/118,622,201,211,257).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:24 |
| - | 277 | source with drain with switch$5 with operation and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:26 |
| - | 1 | (source with drain with switch$5 with operation and (438/$6 257/$6)) and (source with drain with switch$5 with ordinary and (438/$6 257/$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:26 |
| - | 5 | source with drain with switch$5 with ordinary and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:26 |
| - | 652 | source with drain with ordinary and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 17:27 |

| - | 212 | source with drain  with ordinary with skill and (438/$6 257/$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:53 |
|---|---|---|---|---|
| - | 44 | back$3 with control with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:01 |
| - | 50 | back$3 with (control word wordline) with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:06 |
| - | 21 | back$3 near4 (control word wordline) with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:06 |
| - | 2 | backing near wir$3 with (control word wordline) with common near (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:06 |
| - | 4 | backing near wir$3 with (control word wordline) with (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:08 |
| - | 1237 | wir$3 near4 (control word wordline) with wir$3 near4 (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:24 |
| - | 8 | second near wir$3 near4 (control word wordline) with second near wir$3 near4  (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:16 |
| - | 1 | second near wir$3 near4 (control word wordline) with second near wir$3 near4 common near  (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:17 |
| - | 18 | wir$3 near4 (control word wordline) with wir$3 near4 common near  (source drain) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:18 |
| - | 41 | wir$3 near4 (control word wordline) with wir$3 near4 (source drain) with forming | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:26 |
| - | 17 | wir$3 near4 (control word wordline) with wir$3 near4 (source drain) with simultaneous$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:30 |

| | | | | |
|---|---|---|---|---|
| - | 0 | connect3 near4 (control word wordline) with connect$3 near4 (source drain) with simultaneous$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:31 |
| - | 478 | connect$4 near4 (control word wordline) with connect$4 near4 (source drain) with simultaneous$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:48 |